

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015 Supersedes Date: No information available

Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

Product Name GREENGRIP/WHTPLASPAIL/4GL/36PP

Product Code G68250-LL4

Product(s) Covered

## 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Recommended use Adhesives, sealants.
Uses Advised Against No information available

### 1.3. Details of the Supplier of the Safety Data Sheet

## **Company Name**

Bostik, Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075
Email: msds@bostik-us.com

## 1.4. Emergency Telephone Number

**Emergency Telephone** Telephone: 1-800-227-0332

(Outside U.S.) 1-703-527-3887

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

Skin sensitization Category 1

### 2.2. Label Elements

### **EMERGENCY OVERVIEW**

### WARNING

### Hazard statements

May cause an allergic skin reaction

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015 Supersedes Date: No information available

Version 1



Appearance No information available

Physical State Solid

**Odor** Fruity

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

## **Precautionary Statements - Response**

Specific treatment (see first aid measures on this label)

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

## **Precautionary Statements - Storage**

Not applicable

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## **Hazards Not Otherwise Classified (HNOC)**

Not applicable

### **Unknown Toxicity**

14.88% of the mixture consists of ingredient(s) of unknown toxicity

### 2.3. Other Information

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Limestone	1317-65-3	40 - 70
Calcium carbonate	471-34-1	1 - 5
Silane, ethenyltrimethoxy-	2768-02-7	1 - 5
N-[3-(Trimethyoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	0.1 - 1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - 1

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**General Advice** 

Remove contaminated clothing and shoes. If medical advice is needed, have product container or label at hand.

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015
Supersedes Date: No information available

Version 1

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Hold eyelids apart and consult an physician.

**Skin Contact** Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic

reactions see a physician.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this

container or label. If swallowed, rinse mouth with water (only if the person is conscious).

**Self-protection of the First Aider** First aider: Pay attention to self-protection.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

4.4. Reference to Other Sections

Reference to Other Sections SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

## 5.1. Extinguishing Media

### **Suitable Extinguishing Media**

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

### **Unsuitable Extinguishing Media**

Full water jet.

## 5.2. Special Hazards Arising from the Substance or Mixture

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2).

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

## 5.3. Advice for Firefighters

## **Protective Equipment and Precautions for Firefighters**

In case of fire: Wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protection equipment. Avoid contact with skin, eyes or clothing.

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015 Supersedes Date: No information available

Version 1

6.2. Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter

into soil/subsoil.

6.3. Methods and Material for Containment and Cleaning up

Methods for Containment Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local /

national regulations (see Section 13).

Methods for Cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to Other Sections SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 7: HANDLING AND STORAGE Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Fire prevention measures. No special measures are necessary.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage Conditions Protect from moisture. Keep container tightly closed in a cool place. Keep away from food,

drink and animal feeding stuffs. Recommended storage temperature. 10 - 35 °C.

Incompatible Materials None known based on information supplied.

7.3. Specific End Use(s)

Specific Use(s)

Sealant. Observe technical data sheet.

Other Information No information available.

7.4. References to Other Sections

Reference to Other Sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

**Exposure Guidelines** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. As Limestone CAS 1317-65-3 and Calcium carbonates is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or

spray) under normal condition of uses.

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Limestone 1317-65-3	-	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust	J	TWA: 10 mg/m³ STEL: 20 mg/m³

## G68250-LL4 GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015 Supersedes Date: No information available

Version 1

Calcium carbonate	-	TWA: 10 mg/m³ total dust	-	-
471-34-1		TWA: 5 mg/m³ respirable		
		dust		
Tin,	STEL: 0.2 mg/m <sup>3</sup> Sn	IDLH: 25 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m <sup>3</sup>
dibutylbis(2,4-pentanedionat	TWA: 0.1 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m³ except	_	STEL: 0.2 mg/m <sup>3</sup>
o-O,O')-, (OC-6-11)-	S*	Cyhexatin Sn		_
22673-19-4				

Chemical Name	Argentina	Brazil	Chile	Venezuela
Limestone 1317-65-3	TWA: 10 mg/m <sup>3</sup>	-	TWA: 8 mg/m <sup>3</sup>	-
Calcium carbonate 471-34-1	-	•	-	TWA: 10 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m³ Skin STEL: 0.2 mg/m³	-	TWA: 0.08 mg/m³ Skin	Skin STEL: 0.2 mg/m³ TWA: 0.1 mg/m³

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methanol	STEL: 250 ppm	IDLH: 6000 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 200 ppm	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	S*	TWA: 260 mg/m <sup>3</sup>		STEL: 250 ppm
		STEL: 250 ppm		STEL: 310 mg/m <sup>3</sup>
		STEL: 325 mg/m <sup>3</sup>		_

Chemical Name	Argentina	Brazil	Chile	Venezuela
Methanol	TWA: 200 ppm	TWA: 156 ppm	TWA: 160 ppm	Skin
67-56-1	Skin	TWA: 200 mg/m <sup>3</sup>	TWA: 210 mg/m <sup>3</sup>	STEL: 250 ppm
	STEL: 250 ppm	Skin	Skin	TWA: 200 ppm

## 8.2. Exposure Controls

Other Information Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Engineering Controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection**Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State Solid Color Cream Odor Fruity

Odor Threshold No information available

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015
Supersedes Date: No information available

Version 1

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting Point/Freezing Point No information available
Boiling Point No information available
Flash Point > 93.4 °C / > 200.1 °F
Evaporation Rate No information available
Flammability (solid, gas)
Flammability Limit in Air

Upper Flammability Limit
Lower Flammability Limit
Vapor Pressure
Vapor Density
Specific Gravity
Water Solubility

Upper Flammability Limit
No information available
No information available
No information available
No information available

Solubility in Other Solvents

Partition Coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Explosive Properties
No information available

9.2. Other Information

Softening Point
Molecular Weight
Solvent Content (%)
No information available
No information available
No information available

 Solid Content (%)
 100.0

 Density
 1.710 g/cm³

 VOC
 0 g/L

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical Stability

Stable under recommended storage conditions.

10.3. Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

None known based on information supplied.

10.6. Hazardous Decomposition Products

None known based on information supplied.

### Section 11: TOXICOLOGY INFORMATION

## 11.1. Information on Toxicological Effects

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015
Supersedes Date: No information available

Version 1

Product Information No Data Available

InhalationNo Data Available.Eye contactNo Data Available.Skin ContactNo Data Available.IngestionNo Data Available.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone 1317-65-3	>5000 mg/kg (rat)	-	-
Calcium carbonate 471-34-1	= 6450 mg/kg (Rat)	>2000 mg/kg	LC50 (4h) >3mg/ml (Rat)
Silane, ethenyltrimethoxy- 2768-02-7	= 7340 μL/kg ( Rat )	= 3360 μL/kg ( Rabbit )	-
N-[3-(Trimethyoxysilyl)propyl]-1,2-et hanediamine 1760-24-3	= 7460 μL/kg (Rat)	-	LC50 4H (Aerosol)1.5 - 2.44 mg/L air

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

No information available. **Symptoms** Skin Corrosion/Irritation No information available. No information available. Serious Eye Damage/Eye Irritation No information available. Irritation Corrosivity No information available. No information available. Sensitization No information available. **Germ Cell Mutagenicity** Reproductive Toxicity No information available. **Developmental Toxicity** No information available. **Teratogenicity** No information available. STOT - Single Exposure STOT - Repeated Exposure No information available.

STOT - Single Exposure
STOT - Repeated Exposure
Chronic Toxicity
Target Organ Effects
Aspiration Hazard
No information available.
No information available.
Eyes, Respiratory system, Skin.
No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by ACGIH,

OSHA, IARC or NTP at or above 0.1 wt%.

## Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Limestone 1317-65-3	CE50 (72h) >200mg/L Algae (Desmondesmus subspicatus)	CL50 (96h)>10000mg/L Fish (Oncorhynchus mykiss)		CE50 (48h) >1000 mg/L Daphnia Magna
Calcium carbonate 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H Fish >1000 mg/l		EC50 48H Daphnia >1000 mg/l
Silane, ethenyltrimethoxy- 2768-02-7				EC50(48hr) 168.7mg/l (Daphnia magna)
N-[3-(Trimethyoxysilyl)propyl		LC50 (96H) =597 mg/L Fish (Danio rerio)Semi-static		EC50 (48h) =81mg/L Daphnia magna Static

Page 7/10

# G68250-LL4 GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015
Supersedes Date: No information available

Version 1

1760-24-3			
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	>2.0 mg/l	>2.0 mg/l	

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulative Potential

No information available.

### 12.4. Mobility in Soil

No information available.

### 12.5 Other adverse effects

No information available

## **Section 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste Treatment Methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

## Section 14: TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

## Section 15: REGULATORY INFORMATION

### **Global Inventories**

TSCA	Listed
DSL	Listed

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015
Supersedes Date: No information available

Version 1

MSDS contains all the information required by the CPR

### **WHMIS Hazard Class**

D2B - Toxic materials



### **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **California Proposition 65**

This product contains one or more of the substances listed on Proposition 65 at or above 0.01 wt. %

Chemical Name	CAS No
Quartz	14808-60-7
Methanol	67-56-1

### **Europe**

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

HMIS Health Hazards 2 Flammability 1 Physical Hazards 1 Personal Protection X

### Key or Legend to Abbreviations and Acronyms Used in the Safety Data Sheet

No information available

## Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 14-Dec-2015

Revision Note Not applicable.

G68250-LL4
GREENGRIP/WHTPLASPAIL/4GL/36PP

Revision Date 14-Dec-2015 Supersedes Date: No information available

Version 1

Training Advice No information available

Further information No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**